

Author Index

- Adamson, S.L., see Tai, T.-C. (57) 161
- Bales, K.R., Du, Y., Dodel, R.C., Yan, G.-M., Hamilton-Byrd, E. and Paul, S.M.
The NF- κ B/Rel family of proteins mediates A β -induced neurotoxicity and glial activation (57) 63
- Bartlett, W.P., see Li, X.-s. (57) 92
- Basheer, R., Magner, M., McCarley, R.W. and Shiromani, P.J.
REM sleep deprivation increases the levels of tyrosine hydroxylase and norepinephrine transporter mRNA in the locus coeruleus (57) 235
- Betancur, C., see Walker, N. (57) 193
- Bluethmann, H., see Carrasco, J. (57) 221
- Bokrand, Y., see Peris, J. (57) 310
- Bova, R., Micheli, M.R., Qualadrucci, P. and Zucconi, G.G.
BDNF and *trkB* mRNAs oscillate in rat brain during the light–dark cycle (57) 321
- Bruno, J.P., see Soghomonian, J.-J. (57) 155
- Cañete-Soler, R., see Schwartz, M.L. (57) 21
- Caput, D., see Walker, N. (57) 193
- Carrasco, J., Hernandez, J., Bluethmann, H. and Hidalgo, J.
Interleukin-6 and tumor necrosis factor- α type I receptor deficient mice reveal a role of IL-6 and TNF- α on brain metallothionein-I and -III regulation (57) 221
- Caruncho, H.J., Rodríguez-Pallares, J., Guerra, M.J. and Labandeira-García, J.L.
Mature intrastriatal striatal grafts revert the changes in the expression of pallidal and thalamic $\alpha 1$, $\alpha 2$ and $\beta 2/3$ GABA_A receptor subunit induced by ibotenic acid lesions in the rat striatum (57) 301
- Cattini, P., see Grothe, C. (57) 97
- Chang, H.-M., Wu, Y.-M., Chang, Y.-C., Hsu, Y.-C., Hsu, H.-Y., Chen, Y.-C. and Chow, W.-Y.
Molecular and electrophysiological characterizations of fGluR3 α , an ionotropic glutamate receptor subunit of a teleost fish (57) 211
- Chang, Y.-C., see Chang, H.-M. (57) 211
- Chen, Y.-C., see Chang, H.-M. (57) 211
- Chiasson, B.J., Hong, M.G.L. and Robertson, H.A.
Intra-amygdala infusion of an end-capped antisense oligodeoxynucleotide to *c-fos* accelerates amygdala kindling (57) 248
- Chow, W.-Y., see Chang, H.-M. (57) 211
- Copeland, T., see Kamata, T. (57) 201
- Daar, I.O., see Kamata, T. (57) 201
- Dagø, L., see Olesen, O.F. (57) 266
- Detheux, M., see Pesini, P. (57) 281
- Diaz Brinton, R., Yamazaki, R., Gonzalez, C.M., O'Neill, K. and Schreiber, S.S.
Vasopressin-induction of the immediate early gene, *NGFI-A*, in cultured hippocampal glial cells (57) 73
- Dichter, M.A., see Kendrick, S.J. (57) 10
- Dodel, R.C., see Bales, K.R. (57) 63
- Dorst, A., see Gallinat, S. (57) 111
- Du, Y., see Bales, K.R. (57) 63
- Duncan, M.J.
Photoperiodic regulation of hypothalamic neuropeptide messenger RNA expression: effect of pinealectomy and neuroanatomical location (57) 142
- Emson, P., see Phillips, T. (57) 132
- Faull, R., see Phillips, T. (57) 132
- Ferrara, P., see Walker, N. (57) 193
- Fluharty, S.J., see Yee, D.K. (57) 325
- Fournier, J., see Walker, N. (57) 193
- Fujisawa, H., see Yoshida, K. (57) 241
- Fukuuchi, Y., see Ito, D. (57) 1
- Gallinat, S., Yu, M., Dorst, A., Unger, T. and Herdegen, T.
Sciatic nerve transection evokes lasting up-regulation of angiotensin AT₂ and AT₁ receptor mRNA in adult rat dorsal root ganglia and sciatic nerves (57) 111
- Garyfallou, V.T., see Urbanski, H.F. (57) 86
- Gill, J.S., Schenone, A.E., Podratz, J.L. and Windebank, A.J.
Autocrine regulation of neurite outgrowth from PC12 cells by nerve growth factor (57) 123
- Goldin, M., see Rehavi, M. (57) 31
- Gonzalez, C.M., see Diaz Brinton, R. (57) 73
- Grahame-Smith, D.G., see Zetterström, T.S.C. (57) 106
- Grothe, C., Meisinger, C., Holzschuh, J., Wewetzer, K. and Cattini, P.
Over-expression of the 18 kD and 21/23 kD fibroblast growth factor-2 isoforms in PC12 cells and Schwann cells results in altered cell morphology and growth (57) 97
- Guerra, M.J., see Caruncho, H.J. (57) 301
- Hagiwara, M., see Yoshida, K. (57) 241
- Hamilton-Byrd, E., see Bales, K.R. (57) 63
- Heavens, R.P., see Oliver, K.R. (57) 149
- Heerding, J.N., see Yee, D.K. (57) 325
- Herdegen, T., see Gallinat, S. (57) 111
- Hernandez, J., see Carrasco, J. (57) 221
- Hidalgo, J., see Carrasco, J. (57) 221
- Hill, R.G., see Oliver, K.R. (57) 149
- Höckfelt, T., see Pesini, P. (57) 281
- Holzschuh, J., see Grothe, C. (57) 97
- Hong, M.G.L., see Chiasson, B.J. (57) 248
- Hsu, H.-Y., see Chang, H.-M. (57) 211
- Hsu, Y.-C., see Chang, H.-M. (57) 211
- Hua, Y., see Schwartz, M.L. (57) 21
- Imai, Y., see Ito, D. (57) 1
- Imaki, J., see Yoshida, K. (57) 241
- Ito, D., Imai, Y., Ohsawa, K., Nakajima, K., Fukuuchi, Y. and Kohsaka, S.
Microglia-specific localisation of a novel calcium binding protein, Iba1 (57) 1
- Iwakabe, H., see Yoshida, K. (57) 241
- Jung, B.J., see Peris, J. (57) 310
- Kachidian, P., see Salin, P. (57) 257
- Kamata, T., Daar, I.O., Subleski, M., Copeland, T., Kung, H.-f. and Xu, R.-H.
Xenopus CRMP-2 is an early response gene to neural induction (57) 201
- Kendrick, S.J., Dichter, M.A. and Wilcox, K.S.
Characterization of desensitization in recombinant *N*-methyl-D-aspartate receptors: comparison with native receptors in cultured hippocampal neurons (57) 10
- Kohama, S.G., see Urbanski, H.F. (57) 86
- Kohsaka, S., see Ito, D. (57) 1
- Krichavsky, M.Z., see Yee, D.K. (57) 325
- Kung, H.-f., see Kamata, T. (57) 201
- Labandeira-García, J.L., see Caruncho, H.J. (57) 301
- Laprade, N., see Soghomonian, J.-J. (57) 155
- Lee, S. and Rivier, C.
Interaction between corticotropin-releasing factor and nitric oxide in mediating the response of the rat hypothalamus to immune and non-immune stimuli (57) 54
- Leloup, C., Orosco, M., Serradas, P., Nicolaidis, S. and Pénicaud, L.
Specific inhibition of GLUT2 in arcuate nucleus by antisense oligonucleotides suppresses nervous control of insulin secretion (57) 275

Author Index

- Adamson, S.L., see Tai, T.-C. (57) 161
- Bales, K.R., Du, Y., Dodel, R.C., Yan, G.-M., Hamilton-Byrd, E. and Paul, S.M.
The NF- κ B/Rel family of proteins mediates A β -induced neurotoxicity and glial activation (57) 63
- Bartlett, W.P., see Li, X.-s. (57) 92
- Basheer, R., Magner, M., McCarley, R.W. and Shiromani, P.J.
REM sleep deprivation increases the levels of tyrosine hydroxylase and norepinephrine transporter mRNA in the locus coeruleus (57) 235
- Betancur, C., see Walker, N. (57) 193
- Bluethmann, H., see Carrasco, J. (57) 221
- Bokrand, Y., see Peris, J. (57) 310
- Bova, R., Micheli, M.R., Qualadrucci, P. and Zucconi, G.G.
BDNF and *trkB* mRNAs oscillate in rat brain during the light–dark cycle (57) 321
- Bruno, J.P., see Soghomonian, J.-J. (57) 155
- Cañete-Soler, R., see Schwartz, M.L. (57) 21
- Caput, D., see Walker, N. (57) 193
- Carrasco, J., Hernandez, J., Bluethmann, H. and Hidalgo, J.
Interleukin-6 and tumor necrosis factor- α type I receptor deficient mice reveal a role of IL-6 and TNF- α on brain metallothionein-I and -III regulation (57) 221
- Caruncho, H.J., Rodríguez-Pallares, J., Guerra, M.J. and Labandeira-García, J.L.
Mature intrastriatal striatal grafts revert the changes in the expression of pallidal and thalamic $\alpha 1$, $\alpha 2$ and $\beta 2/3$ GABA_A receptor subunit induced by ibotenic acid lesions in the rat striatum (57) 301
- Cattini, P., see Grothe, C. (57) 97
- Chang, H.-M., Wu, Y.-M., Chang, Y.-C., Hsu, Y.-C., Hsu, H.-Y., Chen, Y.-C. and Chow, W.-Y.
Molecular and electrophysiological characterizations of fGluR3 α , an ionotropic glutamate receptor subunit of a teleost fish (57) 211
- Chang, Y.-C., see Chang, H.-M. (57) 211
- Chen, Y.-C., see Chang, H.-M. (57) 211
- Chiasson, B.J., Hong, M.G.L. and Robertson, H.A.
Intra-amygdala infusion of an end-capped antisense oligodeoxynucleotide to *c-fos* accelerates amygdala kindling (57) 248
- Chow, W.-Y., see Chang, H.-M. (57) 211
- Copeland, T., see Kamata, T. (57) 201
- Daar, I.O., see Kamata, T. (57) 201
- Dagø, L., see Olesen, O.F. (57) 266
- Detheux, M., see Pesini, P. (57) 281
- Diaz Brinton, R., Yamazaki, R., Gonzalez, C.M., O'Neill, K. and Schreiber, S.S.
Vasopressin-induction of the immediate early gene, *NGFI-A*, in cultured hippocampal glial cells (57) 73
- Dichter, M.A., see Kendrick, S.J. (57) 10
- Dodel, R.C., see Bales, K.R. (57) 63
- Dorst, A., see Gallinat, S. (57) 111
- Du, Y., see Bales, K.R. (57) 63
- Duncan, M.J.
Photoperiodic regulation of hypothalamic neuropeptide messenger RNA expression: effect of pinealectomy and neuroanatomical location (57) 142
- Emson, P., see Phillips, T. (57) 132
- Faull, R., see Phillips, T. (57) 132
- Ferrara, P., see Walker, N. (57) 193
- Fluharty, S.J., see Yee, D.K. (57) 325
- Fournier, J., see Walker, N. (57) 193
- Fujisawa, H., see Yoshida, K. (57) 241
- Fukuuchi, Y., see Ito, D. (57) 1
- Gallinat, S., Yu, M., Dorst, A., Unger, T. and Herdegen, T.
Sciatic nerve transection evokes lasting up-regulation of angiotensin AT₂ and AT₁ receptor mRNA in adult rat dorsal root ganglia and sciatic nerves (57) 111
- Garyfallou, V.T., see Urbanski, H.F. (57) 86
- Gill, J.S., Schenone, A.E., Podratz, J.L. and Windebank, A.J.
Autocrine regulation of neurite outgrowth from PC12 cells by nerve growth factor (57) 123
- Goldin, M., see Rehavi, M. (57) 31
- Gonzalez, C.M., see Diaz Brinton, R. (57) 73
- Grahame-Smith, D.G., see Zetterström, T.S.C. (57) 106
- Grothe, C., Meisinger, C., Holzschuh, J., Wewetzer, K. and Cattini, P.
Over-expression of the 18 kD and 21/23 kD fibroblast growth factor-2 isoforms in PC12 cells and Schwann cells results in altered cell morphology and growth (57) 97
- Guerra, M.J., see Caruncho, H.J. (57) 301
- Hagiwara, M., see Yoshida, K. (57) 241
- Hamilton-Byrd, E., see Bales, K.R. (57) 63
- Heavens, R.P., see Oliver, K.R. (57) 149
- Heerding, J.N., see Yee, D.K. (57) 325
- Herdegen, T., see Gallinat, S. (57) 111
- Hernandez, J., see Carrasco, J. (57) 221
- Hidalgo, J., see Carrasco, J. (57) 221
- Hill, R.G., see Oliver, K.R. (57) 149
- Hökfelt, T., see Pesini, P. (57) 281
- Holzschuh, J., see Grothe, C. (57) 97
- Hong, M.G.L., see Chiasson, B.J. (57) 248
- Hsu, H.-Y., see Chang, H.-M. (57) 211
- Hsu, Y.-C., see Chang, H.-M. (57) 211
- Hua, Y., see Schwartz, M.L. (57) 21
- Imai, Y., see Ito, D. (57) 1
- Imaki, J., see Yoshida, K. (57) 241
- Ito, D., Imai, Y., Ohsawa, K., Nakajima, K., Fukuuchi, Y. and Kohsaka, S.
Microglia-specific localisation of a novel calcium binding protein, Iba1 (57) 1
- Iwakabe, H., see Yoshida, K. (57) 241
- Jung, B.J., see Peris, J. (57) 310
- Kachidian, P., see Salin, P. (57) 257
- Kamata, T., Daar, I.O., Subleski, M., Copeland, T., Kung, H.-f. and Xu, R.-H.
Xenopus CRMP-2 is an early response gene to neural induction (57) 201
- Kendrick, S.J., Dichter, M.A. and Wilcox, K.S.
Characterization of desensitization in recombinant *N*-methyl-D-aspartate receptors: comparison with native receptors in cultured hippocampal neurons (57) 10
- Kohama, S.G., see Urbanski, H.F. (57) 86
- Kohsaka, S., see Ito, D. (57) 1
- Krichavsky, M.Z., see Yee, D.K. (57) 325
- Kung, H.-f., see Kamata, T. (57) 201
- Labandeira-García, J.L., see Caruncho, H.J. (57) 301
- Laprade, N., see Soghomonian, J.-J. (57) 155
- Lee, S. and Rivier, C.
Interaction between corticotropin-releasing factor and nitric oxide in mediating the response of the rat hypothalamus to immune and non-immune stimuli (57) 54
- Leloup, C., Orosco, M., Serradas, P., Nicolaidis, S. and Pénicaud, L.
Specific inhibition of GLUT2 in arcuate nucleus by antisense oligonucleotides suppresses nervous control of insulin secretion (57) 275

- Lepee-Lorgeoux, I., see Walker, N. (57) 193
 Li, X.-s., Williams, M. and Bartlett, W.P.
 Induction of IGF-I mRNA expression following traumatic injury to the postnatal brain (57) 92
 Lye, S.J., see Tai, T.-C. (57) 161
 Magner, M., see Basheer, R. (57) 235
 Makoff, A., see Phillips, T. (57) 132
 Malakhova, O., see Peris, J. (57) 310
 Matsuda, A., see Yoshida, K. (57) 241
 Matsuda, H., see Yoshida, K. (57) 241
 Matsuoka, T., see Nishizaki, T. (57) 173
 McCarley, R.W., see Basheer, R. (57) 235
 Meisinger, C., see Grothe, C. (57) 97
 Micheli, M.R., see Bova, R. (57) 321
 Mikkelsen, J.D., see Olesen, O.F. (57) 266
 Mimmack, M., see Phillips, T. (57) 132
 Molteni, R., see Riva, M.A. (57) 38
 Murrison, E., see Phillips, T. (57) 132
 Nakajima, D., see Ohara, O. (57) 181
 Nakajima, K., see Ito, D. (57) 1
 Nakanishi, S., see Yoshida, K. (57) 241
 Nakayama, M., see Ohara, O. (57) 181
 Nicolaïdis, S., see Leloup, C. (57) 275
 Nishizaki, T., Matsuoka, T., Nomura, T. and Sumikawa, K.
 Modulation of ACh receptor currents by arachidonic acid (57) 173
 Nomura, T., see Nishizaki, T. (57) 173
 Ohara, O., Ohara, R., Yamakawa, H., Nakajima, D. and Nakayama, M.
 Characterization of a new β -spectrin gene which is predominantly expressed in brain (57) 181
 Ohara, R., see Ohara, O. (57) 181
 Ohsawa, K., see Ito, D. (57) 1
 Okamoto, Y., see Yoshida, K. (57) 241
 Olesen, O.F., Dagö, L. and Mikkelsen, J.D.
 Amyloid β neurotoxicity in the cholinergic but not in the serotonergic phenotype of RN46A cells (57) 266
 Oliver, K.R., Wainwright, A., Heavens, R.P., Hill, R.G. and Sirinathsinghji, D.J.S.
 Distribution of novel CGRP₁ receptor and adrenomedullin receptor mRNAs in the rat central nervous system (57) 149
 O'Neill, K., see Diaz Brinton, R. (57) 73
 Orosco, M., see Leloup, C. (57) 275
 Parmentier, M., see Pesini, P. (57) 281
 Paul, S.M., see Bales, K.R. (57) 63
 Pei, Q., see Zetterström, T.S.C. (57) 106
 Pénicaud, L., see Leloup, C. (57) 275
 Peris, J., Jung, B.J., Resnick, A., Walker, P., Malakhova, O., Bokrand, Y. and Wielbo, D.
 Antisense inhibition of striatal GABA_A receptor proteins decreases GABA-stimulated chloride uptake and increases cocaine sensitivity in rats (57) 310
 Pesini, P., Dethoux, M., Parmentier, M. and Hökfelt, T.
 Distribution of a glucocorticoid-induced orphan receptor (JP05) mRNA in the central nervous system of the mouse (57) 281
 Phillips, T., Makoff, A., Murrison, E., Mimmack, M., Waldvogel, H., Faull, R., Rees, S. and Emson, P.
 Immunohistochemical localisation of mGluR7 protein in the rodent and human cerebellar cortex using subtype specific antibodies (57) 132
 Podratz, J.L., see Gill, J.S. (57) 123
 Qualadrucci, P., see Bova, R. (57) 321
 Racagni, G., see Riva, M.A. (57) 38
 Rees, S., see Phillips, T. (57) 132
 Rehavi, M., Goldin, M., Roz, N. and Weizman, A.
 Regulation of rat brain vesicular monoamine transporter by chronic treatment with ovarian hormones (57) 31
 Resnick, A., see Peris, J. (57) 310
 Riva, M.A., Molteni, R. and Racagni, G.
 Differential regulation of FGF-2 and FGFR-1 in rat cortical astrocytes by dexamethasone and isoproterenol (57) 38
 Rivier, C., see Lee, S. (57) 54
 Robertson, H.A., see Chiasson, B.J. (57) 248
 Rodrigues, S.M., see Urbanski, H.F. (57) 86
 Rodríguez-Pallares, J., see Caruncho, H.J. (57) 301
 Rostene, W., see Walker, N. (57) 193
 Roz, N., see Rehavi, M. (57) 31
 Salin, P. and Kachidian, P.
 Thalamo-striatal deafferentation affects preproenkephalin but not preprotachykinin gene expression in the rat striatum (57) 257
 Sandstrom, M., see Soghomonian, J.-J. (57) 155
 Schenone, A.E., see Gill, J.S. (57) 123
 Schlaepfer, W.W., see Schwartz, M.L. (57) 21
 Schreiber, S.S., see Diaz Brinton, R. (57) 73
 Schwartz, M.L., Hua, Y., Cañete-Soler, R. and Schlaepfer, W.W.
 Characterization of the mouse neurofilament light (NF-L) gene promoter by in vitro transcription (57) 21
 Serradas, P., see Leloup, C. (57) 275
 Shiromani, P.J., see Basheer, R. (57) 235
 Sirinathsinghji, D.J.S., see Oliver, K.R. (57) 149
 Soghomonian, J.-J., Laprade, N., Sandstrom, M. and Bruno, J.P.
c-fos gene expression is induced in a subpopulation of striatal neurons following a single administration of a dopamine D1-receptor agonist in adult rats lesioned with 6-OHDA as neonates (57) 155
 Subleski, M., see Kamata, T. (57) 201
 Sumikawa, K., see Nishizaki, T. (57) 173
 Tai, T.-C., Lye, S.J. and Adamson, S.L.
 Expression of prostaglandin E₂ receptor subtypes in the developing sheep brainstem (57) 161
 Takagi, T., see Yamashita, T. (57) 167
 Tamatani, M., see Yamashita, T. (57) 167
 Taniguchi, M., see Yamashita, T. (57) 167
 Tohyama, M., see Yamashita, T. (57) 167
 Unger, T., see Gallinat, S. (57) 111
 Urbanski, H.F., Rodrigues, S.M., Garyfallou, V.T. and Kohama, S.G.
 Regional distribution of glutamic acid decarboxylase (GAD₆₅ and GAD₆₇) mRNA in the hypothalamus of male rhesus macaques before and after puberty (57) 86
 Wainwright, A., see Oliver, K.R. (57) 149
 Waldvogel, H., see Phillips, T. (57) 132
 Walker, N., Lepee-Lorgeoux, I., Fournier, J., Betancur, C., Rostene, W., Ferrara, P. and Caput, D.
 Tissue distribution and cellular localization of the levocabastine-sensitive neurotensin receptor mRNA in adult rat brain (57) 193
 Walker, P., see Peris, J. (57) 310
 Wang, J.Q.
 Regulation of immediate early gene *c-fos* and *zif*/268 mRNA expression in rat striatum by metabotropic glutamate receptor (57) 46
 Weizman, A., see Rehavi, M. (57) 31
 Wewetzer, K., see Grothe, C. (57) 97
 Wielbo, D., see Peris, J. (57) 310
 Wilcox, K.S., see Kendrick, S.J. (57) 10
 Williams, M., see Li, X.-s. (57) 92
 Windebank, A.J., see Gill, J.S. (57) 123
 Wu, Y.-M., see Chang, H.-M. (57) 211
 Xu, R.-H., see Kamata, T. (57) 201
 Yamakawa, H., see Ohara, O. (57) 181
 Yamashita, T., Tamatani, M., Taniguchi, M., Takagi, T., Yoshimine, T. and Tohyama, M.
 Regulation of Na⁺/myo-inositol cotransporter gene expression in hyperglycemic rat hippocampus (57) 167
 Yamazaki, R., see Diaz Brinton, R. (57) 73
 Yan, G.-M., see Bales, K.R. (57) 63
 Yee, D.K., Heerding, J.N., Krichavsky, M.Z. and Fluharty, S.J.
 Role of the amino terminus in ligand binding for the angiotensin II type 2 receptor (57) 325
 Yoshida, K., Imaki, J., Okamoto, Y., Iwakabe, H., Fujisawa, H., Matsuda, A., Nakanishi, S., Matsuda, H. and Hagiwara, M.
 CREB-induced transcriptional activation depends on mGluR6 in rod bipolar cells (57) 241
 Yoshimine, T., see Yamashita, T. (57) 167
 Yu, M., see Gallinat, S. (57) 111
 Zetterström, T.S.C., Pei, Q. and Grahame-Smith, D.G.
 Repeated electroconvulsive shock extends the duration of enhanced gene expression for BDNF in rat brain compared with a single administration (57) 106
 Zucconi, G.G., see Bova, R. (57) 321